



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/055,875	01/21/2002	Bernhard B. Sterling	OPTIS.039A

CONFIRMATION NO. 9479

20995
KNOBBE MARTENS OLSON & BEAR LLP
620 NEWPORT CENTER DRIVE
SIXTEENTH FLOOR
NEWPORT BEACH, CA 92660

FORMALITIES LETTER



OC000000007527708

Date Mailed: 02/25/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

10055875.042600



W
H

03CO

PATENT

Case Docket No. OPTIS.039A


Date: April 23, 2002

Page 1

Applicants : Sterling, et al.
App. No. : 10/055,875
Filed : January 21, 2002
For : REAGENT-LESS WHOLE BLOOD
GLUCOSE METER
Examiner : Unknown
Art Unit : Unknown

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first class mail in an envelope addressed to: United States Patent and Trademark Office, P.O. 2327, Arlington, VA 22202, on

April 23, 2002



Andrew M. Douglas, Reg. No. 51,212

UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. Box 2327
Arlington, VA 22202

Dear Sir:

In response to the Notice to File Corrected Application Papers, which was mailed by the Office on February 25, 2002, enclosed are:

- (X) Thirty-one (31) sheets of corrected drawings.
- (X) Submission of Corrected Drawings.
- (X) A copy of the Notice to File Corrected Application Papers.
- (X) Return prepaid postcard.
- (X) The Commissioner is hereby authorized to charge any additional fees which may be required, now or in the future, or credit any overpayment, to Account No. 11-1410.


Andrew M. Douglas
Registration No. 51,212
Attorney of Record

H:\DOCS\AMD\AMD-2525.DOC
042302

20050425 10055875



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Sterling, et al.
 Appl. No. : 10/055,875
 Filed : January 21, 2002
 For : REAGENT-LESS WHOLE
 BLOOD GLUCOSE METER
 Examiner : Unknown

Group Art Unit Unknown

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first-class mail in an envelope addressed to: United States Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202, on

April 23, 2002

(Date)

Andrew M. Douglas, Reg. No. 51,212

SUBMISSION OF CORRECTED DRAWINGS

United States Patent and Trademark Office
 P.O. Box 2327
 Arlington, VA 22202

Dear Sir:

Applicants submit herewith thirty-one (31) sheets of drawings to replace the sheets of drawings filed on January 21, 2002. Approval of the enclosed drawings is respectfully requested. No new matter has been added herewith.

Should there be any questions concerning this application, the Examiner is respectfully requested to contact the undersigned at the telephone number appearing below.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: April 23, 2002

By: Andrew M. Douglas

Andrew M. Douglas
 Registration No. 51,212
 Attorney of Record
 620 Newport Center Drive
 Sixteenth Floor
 Newport Beach, CA 92660
 (949) 760 - 0404

10055875-042602